## N L E

## The Canadian Entomologist

INDEX TO VOLUME 105 1973

Editor: V. R. Vickery



THE ENTOMOLOGICAL SOCIETY OF CANADA, OTTAWA

## CONTENTS

- Allen, D. C. See Côté, W. A., 463; Ticehurst, M., 1133.
- Allen, R. K. The present status of Ephemerella uenoi (Ephemeroptera: Ephemerellidae), 527.
- Allen, R. K. and Brusca, R. C. New species of Leptohyphinae from Mexico and Central America (Ephemeroptera: Tricorythidae), 83.
- Arif, B. M. See Cunningham, J. C., 767.
- Arthur, A. P. See Hegdekar, B. M., 787.
- Atkinson, J. M. See Loschiavo, S. R., 437.
- Baird, C. R. and Graham, C. L. Cuterebra tenebrosa: Description of immature stages and a redescription of the adult (Diptera: Cuterebridae), 1281.
- Baker, J. E. and Mabie, J. M. Growth and development of larvae of the granary weevil, Sitophilus granarius (Coleoptera: Curculionidae), on natural and meridic diets, 249.
- Baldwin, W. F. See Chant, G. D., 1359.
- Ball, J. C. and Dahlsten, D. L. Hymenopterous parasites of Ips paraconfusus (Coleoptera: Scolytidae) larvae and their contribution to mortality. I. Influence of host tree diameter on parasitization, 1453.
- Barlow, C. A. See Siddiqui, W. H., 145; Harrison, J. R., 1513.
- Barras, S. J. Reduction of progeny and development in the southern pine beetle following removal of symbiotic fungi, 1295.
- Bartell, J. A. See Proshold, F. I., 377.
- Becker, E. C. A new species of Ctenicera from southern California and re-evaluation of the differences between the nearctic species of Esthesopus and Horistonotus (Coleoptera: Elateridae), 1529.
- Beecher, R. W. See Peschken, D. P., 1489.
- Benskin, J. and Perron, J. M. Effects of an insect growth regulator with high juvenile hormone activity on the apterous form of the potato aphid, Macrosiphum euphorbiae (Hemiptera: Aphididae), 619.
- Berryman, A. A. Population dynamics of the fir engraver, Scolytus ventralis (Coleoptera: Scolytidae). 1. Analysis of population behavior and survival from 1964 to 1971, 1465.
- Blaine, W. D. and Dixon, S. E. The effect of juvenile hormone on the function of the accessory gland of the adult male cockroach Periplaneta americana (Orthoptera: Blattidae),
- Bond, E. J., Herne, D. H. C., and Dumas, T. Control of overwintering stages of mites on apples using ethylene dibromide, 903.
- Borden, J. H. See Madsen, H. F., 921.
- Borden, J. H., Miller, G. E., and Richerson, J. V. A possible new sensillum on the antennae of Itoplectis conquisitor (Hymenoptera: Ichneumonidae), 1363.
- Bottimer, L. J. Two new American bruchids in the sordidus group of Stator (Coleoptera: Bruchidae) with notes on other species, 545.
- Bradley, G. A. Effect of Formica obscuripes (Hymenoptera: Formicidae) on the predatorprey relationship between Hyperaspis congressis (Coleoptera: Coccinellidae) and Toumeyella numismaticum (Homoptera: Coccidae), 1113.
  - Interference between nest populations of Formica obscuripes and Dolichoderus taschenbergi (Hymenoptera: Formicidae), 1525.
- Braybrook, G. See Craig, D. A., 995. Brown, N. R. See Carter, N. E., 1065.
- Brusca, R. C. See Allen, R. K., 83.
- Burke, J. M. See Cunningham, J. C., 767.
- Burns, D. P. The foraging and tending behavior of Dolichoderus taschenbergi (Hymenoptera: Formicidae), 97.
- Bush, G. L. See Prokopy, R. J., 873.
- Butler, K. P. See Herbert, H. J., 263, 21, 1519.
- Campbell, J. M. New species and records of New World Micropeplinae (Coleoptera: Staphylinidae), 569.
  - A revision of the genus Tachinomorphus (Coleoptera: Staphylinidae) of North and Central America, 1015.
- Cardé, R. T. and Roelofs, W. L. Temperature modification of male sex pheromone response and factors affecting female calling in Holomelina immaculata (Lepidoptera: Arctiidae), 1505.
- Carolin, V. M. See Daterman, G. E., 929.

Carter, N. E. and Brown, N. R. Seasonal abundance of certain soil arthropods in a fenitrothion-treated red spruce stand, 1065.

Casagrande, R. A. and Stehr, F. W. Evaluating the effects of harvesting alfalfa on alfalfa weevil (Coleoptera: Curculionidae) and parasite populations in Michigan, 1119.

Caspary, V. G. See Downe, A. E. R., 165.

Chant, D. A. See Hansell, R. I. C., 775.

Chant, G. D., Baldwin, W. F. and Forster, L. Occurrence of Culiseta melanura (Diptera: Culicidae) in Canada, 1359.

Chawla, S. S., Perron, J. M., Huot, L., and Corrivault, G.-W. Sensitivity of Oryzaephilus surinamensis (Coleoptera: Cucujidae) to cesium-137. I. Irradiation of eggs: The effects on hatching, survival, and fecundity, 283.

Cheng, H. H. Observations on the bionomics of the dark-sided cutworm, Euxoa messoria (Lepidoptera: Noctuidae), in Ontario, 311.

Laboratory and field tests with Bacillus thuringiensis against the dark-sided cutworm, Euxoa messoria (Lepidoptera: Noctuidae), on tobacco, 941.

Further field evaluation of insecticides for control of the dark-sided cutworm (Lepidoptera: Noctuidae) on tobacco in Ontario, 1351.

Cheung, A. C. See Gooding, R. H., 433. Church, N. S. See Gerber, G. H., 719. Coker, R. A. See Gordh, G., 1407. Corbet, P. S. See Danks, H. V., 367, 647.

Corbet, P. S. and Danks, H. V. Seasonal emergence and activity of mosquitoes (Diptera: Culicidae) in a high-arctic locality, 837.

Corrivault, G.-W. See Chawla, S. S., 283.

Coster, J. E. See Pase, H. A., 1059.

Côté, W. A. and Allen, D. C. Biology of the maple trumpet skeletonizer, Epinotia aceriella (Lepidoptera: Olethreutidae), in New York, 463.

Craig, D. A., Braybrook, G., McIntyre, M., and Scott, J. S. A simple accessory for examining pinned insect material at low magnifications in a stereoscan, scanning electron microscope (SEM), 995.

Cumming, J. E. and McKague, B. Preliminary studies of effects of juvenile hormone analogues on adult emergence of black flies (Diptera: Simuliidae), 509.

Cunningham, J. C., Burke, J. M., and Arif, B. M. An entomopoxvirus found in populations of the large aspen tortrix, Choristoneura conflictana (Lepidoptera: Tortricidae) in Ontario, 767.

Dahlsten, D. L. See Ball, J. C., 1453.

Danks, H. V. See Corbet, P. S., 837.

Danks, H. V. and Corbet, P. S. A key to all stages of Aedes nigripes and A. impiger (Diptera: Culicidae) with a description of first-instar larvae and pupae, 367. Sex ratios at emergence of two species of high-arctic Aedes (Diptera: Culicidae), 647.

Daterman, G. E. and Carolin, V. M. Survival of European pine shoot moth, Rhyacionia buoliana (Lepidoptera: Olethreutidae), under caged conditions in a ponderosa pine forest,

Davies, D. M. See Thomson, A. J., 335, 985.

Desaulniers, R. See Smirnoff, W. A., 1535.

Dhanvantari, B. N. See Elliott, W. M., 1035.

Dimond, J. B. See Ford, R. P., 1265.

Dixon, S. E. See Blaine, W. D., 1275.

Dolinski, M. G. and Loschiavo, S. R. The effect of fungi and moisture on the locomotory behavior of the rusty grain beetle, Cryptolestes ferrugineus (Coleoptera: Cucujidae), 485.

Downe, A. E. R. Some factors influencing insemination in laboratory swarms of Chironomus riparius (Diptera: Chironomidae), 291.

See also Wallace, R. R., 817.

Downe, A. E. R. and Caspary, V. C. The swarming behaviour of Chironomus riparius (Diptera: Chironomidae) in the laboratory, 165.

Dumas, T. See Bond, E. J., 903.

Elliott, W. M. A method of predicting short term population trends of the green peach aphid, Myzus persicae (Homoptera: Aphididae), on potatoes, 11.

Elliott, W. M. and Dhanvantari, B. N. Tree cricket (Orthoptera: Oecanthidae) damage to young peach trees, 1035.

Evans, D. The stages of Erannis vancouverensis (Lepidoptera: Geometridae) and life history

Fedde, G. F. Impact of the balsam woolly aphid (Homoptera: Phylloxeridae) on cones and seed produced by infested Fraser fir. 673.

Fettes, J. J. See Smirnoff, W. A., 1535.

Finnegan, R. J. Diurnal foraging activity of Formica sublucida, F. sanguinea subnuda, and F. fossaceps (Hymenoptera: Formicidae) in Quebec, 441.

Fisher, R. W. and Menzies, D. R. Relationship of spatial density of spray droplet to frequency of contact by European red mite (Acarina: Tetranychidae), 999.

Flanders, S. E. Particularities of diverse egg deposition phenomena characterizing carnivoroid Hymenoptera (with morphological and physiological correlations), 1175.

Foote, B. A. See Sluss, T. P., 1443.

Foott, W. H. and Timmins, P. R. Effects of infestations by the corn leaf aphid, Rhopalosiphum maidis (Homoptera: Aphididae), on field corn in southwestern Ontario, 449. Forbes, A. R. and Raine, J. The stylets of the six-spotted leafhopper, Macrosteles fascifrons

(Homoptera: Cicadellidae), 559.

Ford, R. P. and Dimond, J. B. Sampling populations of pine leaf chermid Pineus pinifoliae (Homoptera: Chermidae). II. Adult Gallicolae on the secondary host, 1265. Forster, L. See Chant, G. D., 1359.

Foster, G. G. See Whitten, M. J., 893. Franklin, R. T. See Taylor, J. W., 123.

Freitag, R., Hastings, L., Mercer, W. R., and Smith, A. Ground beetle populations near a kraft mill, 299.

Gardiner, E. J. See Weatherston, J., 1375.

Garrett, P. W. Geographic variation in resistance to white pine weevil (*Pissodes strobi*) (Coleoptera: Curculionidae) by eastern white pine (Pinus strobus), 347.

Gerber, G. H. Reproductive behaviour and physiology of Tenebrio molitor (Coleoptera: Tenebrionidae). I. Initiation of mating in young adults and the effects of adult density, 807. Gerber, G. H. and Church, N. S. Courtship and copulation in Lytta nuttalli (Coleoptera:

Meloidae), 719.

Gooding, R. H. The digestive processes of haematophagous insects. IV. Secretion of trypsin

by Aedes aegypti (Diptera: Culicidae), 599.

Gooding, R. H., Cheung, A. C., and Rolseth, B. M. The digestive processes of haematophagous insects. III. Inhibition of trypsin by honey and the possible functions of the oesophageal diverticula of mosquitoes (Diptera), 433.

Gordh, G. and Coker, R. A. A new species of Telenomus parasitic on Geocoris (Hymenoptera: Proctotrupoidea; Hemiptera: Lygaeidae) in California, 1407.

Graham, C. L. See Baird, C. R., 1281.

Griffiths, K. J. The dispersal of the introduced parasite Lophyroplectus luteator (Hymenoptera: Ichneumonidae) following its release against Neodiprion sertifer (Hymenoptera: Diprionidae) in Ontario, 833.

Grisdale, D. Large volume preparation and processing of a synthetic diet for insect rearing,

Guppy, J. C. See Mukerji, M. K., 471, 491.

Guppy, J. C. and Harcourt, D. G. A sampling plan for studies on the population dynamics of white grubs, Phyllophaga spp. (Coleoptera: Scarabaeidae), 479.

Hagley, E. A. C. Timing sprays for codling moth (Lepidoptera: Olethreutidae) control on

Hain, F. P. and Wallner, W. E. The life history, biology, and parasites of the pine candle moth, Exoteleia nepheos (Lepidoptera: Gelechiidae), on Scotch pine in Michigan, 157.

Hansell, R. I. C. and Chant, D. A. Taxonomic methods: Relative weights applied to characters by classical taxonomists in the genus Iphiseius Berlese (Acarina: Phytoseiidae), 775.

, 479. Harcourt, D. G. See Guppy.

Hardwick, D. F. A new of Euxoa (Lepidoptera: Noctuidae) resembling Euxoa obeliscoides, 75. A synopsis of the albipennis-lillooet-declarata series of the genus Euxoa (Lepidoptera:

Noctuidae) with descriptions of a new species and a new subspecies, 493.

A new species of Schinia (Lepidoptera: Noctuidae) from Steens Mt., Oregon, 1003. Hardwick, D. F. and Lefkovitch, L. P. Species separation in the declarata group of the genus Euxoa, a computer analysis based on structural characters, 501.

Harmsen, R. See Ward, P. S., 1373.

Harris, P. The selection of effective agents for the biological control of weeds, 1495.

Harrison, J. R. and Barlow, C. A. Survival of the pea aphid, Acvrthosiphon pisum (Homoptera: Aphididae), at extreme temperatures, 1513.

Hastings, L. See Freitag, R., 299. Haufe, W. O. See Trpis, M., 43.

Hebert, P. D. N. See Ward, P. S., 1373.

Hedlin, A. F. Spruce cone insects in British Columbia and their control, 113.

Hegdekar, B. M. and Arthur, A. P. Host hemolymph chemicals that induce oviposition in

the parasite Itoplectis conquisitor (Hymenoptera: Ichneumonidae), 787.

Herbert, H. J. and Butler, K. P. The effect of European red mite, Panonychus ulmi (Acarina: Tetranychidae), infestations on N. P. and K concentrations in apple foliage throughout the season, 263.

Distribution of phytophagous and predacious mites on apple trees in Nova Scotia, 271. Sampling systems for European red mite, Panonychus ulmi (Acarina: Tetranychidae), eggs on apple in Nova Scotia, 1519.

Herne, D. H. C. See Bond, E. J., 903.

Hinks, C. F. The neuroendocrine organs of larvae of Neodiprion lecontei, N. swainei, and Diprion hercyniae (Hymenoptera: Diprionidae), 725.

Hodkinson, I. D. The immature stages of Ptychoptera lenis lenis (Diptera: Ptychopteridae) with notes on their biology, 1091.

A new species of Aphalara Förster (Homoptera: Psylloidea: Aphalaridae) from Alberta, 1413.

Howden, H. F. Scarabatermes amazonensis, a new genus, new species, of termitophilous Scarabaeidae (Coleoptera), 29.

New species of Cyrtinus Leconte from Mexico and Venezuela (Coleoptera: Cerambycidae), 595.

Bolbothyreus, a new genus for Stenaspidius ruficollis (Coleoptera: Scarabaeidae: Geotrupinae), 1567.

Hudson, A. Biosystematics in the genus Euxoa (Lepidoptera: Noctuidae), 1199.

Hunter, D. M. and Webster, J. M. Aggregation behavior of adult Cuterebra grisea and C. tenebrosa (Diptera: Cuterebridae), 1301.

Huot, L. See Chawla, S. S., 283.

Hynes, H. B. N. See Wallace, R. R., 817. Ives, W. G. H. Heat units and outbreaks of the forest tent caterpillar, Malacosoma disstria (Lepidoptera: Lasiocampidae), 529.

Jaques, R. P. Tests on microbial and chemical insecticides for control of Trichoplusia ni (Lepidoptera: Noctuidae) and Pieris rapae (Lepidoptera: Pieridae) on cabbage, 21.

Jobin, L. J. See Smirnoff, W. A., 1039.

Johnstone, D. E. See Vickery, V. R., 623.

Kamp, J. W. Numerical classification of the orthopteroids, with special reference to the Grylloblattodea, 1235.

Kelton, L. A. Knightomiris new genus, for Lygus distinctus (Heteroptera: Miridae), 1417. Two new species of Lygus from North America, and a note on the status of Lygus abroniae (Heteroptera: Miridae), 1545.

A new species of Semium (Heteroptera: Miridae) from Mexico, with new records on distribution for two other species, 1583.

Kevan, D. K. McE. A new genus of Pyrgomorphidae (Acridoidea: Orthoptera) from the Island of Socotra, 1169.

The place of classical taxonomy in modern systematic entomology, with particular reference to orthopteroid insects, 1211.

Kitching, R. L. See Whitten, M. J., 893. Knight, F. B. See Simmons, G. A., 1559.

Ko, R. C. The larva of Ixodes cookei (Acarina: Ixodidae), 245.

Kobylnyk, R. W. and Wilde, W. H. A. Lethal and sublethal effects produced by three lasers on two Trogoderma species (Coleoptera: Dermestidae). I. General developmental changes, 323; II. Histological changes, 513.

Koehler, P. G. and Pimentel, D. Economic injury levels of the alfalfa weevil (Coleoptera: Curculionidae), 61.

Kulman, H. M. See Wetzel, B. W., 1145.

Lafontaine, J. D. Eastern North American species of Antispila (Lepidoptera: Heliozelidae) feeding on Nyssa and Cornus, 991.

Larochelle, A. Carabid beetles of the Magdalen Islands, Quebec, 139.

Larrivée, J. M. See Sharma, M. L., 947.

Lefkovitch, L. P. See Hardwick, D. F., 501.

Legner, E. F. See Moore, I., 35.

Lehmkuhl, D. M. A new species of *Baetis* (Ephemeroptera) from ponds in the Canadian Arctic, with biological notes, 343.

Leischner, T. G. and Pritchard, G. The immature stages of the alderfly, Sialis cornuta (Megaloptera: Sialidae), 411.

Lindquist, O. H. Notes on the biology of the oak leaf-mining sawfly, *Profenusa lucifex* (Hymenoptera: Tenthredinidae), in Ontario, 127.

Notes on the biology of the larch needleworm, Zeiraphera improbana (Lepidoptera: Olethreutidae), in Ontario, 1129.

Loschiavo, S. R. See McGinnis, A. J., 133; Dolinski, M. G., 485.

Loschiavo, S. R. and Atkinson, J. M. An improved trap to detect beetles (Coleoptera) in stored grain, 437.

Mabie, J. M. See Baker, J. E., 249.

MacLellan, C. R. Natural enemies of the light brown apple moth, Epiphyas postvittana, in the Australian Capital Territory, 681.

MacLeod, D. M. See Smirnoff, W. A., 1369; Otvos, I. S., 1435.

Madsen, H. F., Vakenti, J. M., and Borden, J. H. Attraction of virgin females and synthetic sex attractants to the fruittree leafroller, *Archips argyrospilus* (Lepidoptera: Tortricidae), 921.

McAlpine, J. F. A fossil ironomyiid fly from Canadian amber (Diptera: Ironomyiidae), 105. McEwen, F. L. See Nair, K. S. S., 445.

McGinnis, A. J. and Loschiavo, S. R. Repellency of wheat germ extracts prepared with peroxide-containing ether to adults of *Tribolium confusum* (Coleoptera: Tenebrionidae), 133. McGuffiin, W. C. The Rheumaptera of North America (Lepidoptera: Geometridae), 383.

McIntyre, M. See Craig, D. A., 995.

McKague, B. See Cumming, J. E., 509.

McMorran, A. Effects of pre-storage treatment on survival of diapausing larvae of the spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), 1005.

McNeil, J. N. and Rabb, R. L. Life histories and seasonal biology of four hyperparasites of the tobacco hornworm, *Manduca sexta* (Lepidoptera: Sphingidae), 1041.

Menzies, D. R. See Fisher, R. W., 999. Mercer, W. R. See Freitag, R., 299.

Miller, G. E. See Borden, J. H., 1363.

Moore, I. and Legner, E. F. The genera of the subfamilies Phloeocharinae and Olisthaerinae of America north of Mexico with description of a new genus and new species from Washington (Coleoptera: Staphylinidae), 35.

Morris, Ray F. Note on the occurrence of the black witch moth, *Erebus odora* (Lepidoptera: Noctuidae), in Newfoundland, 1151.

Mukerji, M. K. and Guppy, J. C. Changes in the lipid and nitrogen content during postembryonic development of *Pseudaletia unipuncta* (Lepidoptera: Noctuidae), 471.
Quantitative relationship between consumption and excretion by larvae of *Pseudaletia* 

unipuncta (Lepidoptera: Noctuidae), 491.

Munroe, E. A supposedly cosmopolitan insect: The celery webworm and allies, genus Nomo-phila Hübner (Lepidoptera: Pyralidae: Pyraustinae), 177.

A new genus and species of Odontiinae from Arkansas (Lepidoptera: Pyralidae), 669. A new species of *Trischistognatha* from Venezuela (Lepidoptera: Pyralidae: Evergestinae), 1081.

A new genus for *Noctueliopsis radialis* (Lepidoptera: Pyralidae: Odontiinae), 1361. See also Mutuura, A., 653.

Mutuura, A. and Munroe, E. American species of *Dioryctria* (Lepidoptera: Pyralidae). IV. The schuetzeella group and the taxonomic status of the spruce cone moth, 653.

Nair, K. S. S. and McEwen, F. L. The seed maggot complex, Hylemya (Delia) platura and H. (Delia) liturata (Diptera: Anthomyiidae), as primary pests of radish, 445.

Nijholt, W. W. The effect of male *Trypodendron lineatum* (Coleoptera: Scolytidae) on the response of field populations to secondary attraction, 583.

Otvos, I. S. A method for rearing overwintering larvae of Winthemia occidentis (Diptera: Tachinidae), a parasite of the eastern hemlock looper, 581.

Otvos, I. S., MacLeod, D. M., and Tyrrell, D. Two species of *Entomophthora* pathogenic to the eastern hemlock looper in Newfoundland, 1435.

Padgham, D. E. See Pickford, R., 613.

Parent, B. Note on Aphytis proclia and Anabrolepis mayri (Hymenoptera: Chalcidoidea), parasites of the oystershell scale, Lepidosaphes ulmi (Homoptera: Coccidae), 175.

Pase, H. A. and Coster, J. E. Some Cerambycidae (Coleoptera) from the Korat Plateau Region of Thailand, 1059.

Perron, J. M. See Chawla, S. S., 283; Benskin, J., 619.

Peschken, D. P. and Beecher, R. W. Ceutorhynchus litura (Coleoptera: Curculionidae): Biology and first releases for biological control of the weed Canada thistle (Cirsium arvense) in Ontario, Canada, 1489.

Peters, W. and Ulbrich, R. The life history of the water-boatman, Trichocorixella mexicana (Heteroptera: Corixidae), 277.

Pickford, R. and Padgham, D. E. Spermatophore formation and sperm transfer in the desert locust, Schistocerca gregaria (Orthoptera: Acrididae), 613.

Pimentel, D. See Koehler, P. G., 61.

Pinto, J. D. Sexual behavior in the genus *Pleuropompha* Leconte: A new mating display in blister beetles (Coleoptera: Meloidae), 957.

Plowright, R. C. and Stephen, W. P. A numerical taxonomic analysis of the evolutionary relationships of Bombus and Psithyrus (Apidae: Hymenoptera), 733.

Pritchard, G. See Leischner, T. G., 411.

Prokopy, R. J. and Bush, G. L. Mating behavior of Rhagoletis pomonella (Diptera: Tephritidae), 873.

Proshold, F. I. and Bartell, J. A. Fertility and survival of tobacco budworms, Heliothis virescens (Lepidoptera: Noctuidae), from gamma-irradiated females, 377.

Proverbs, M. D. See Robinson, A. S., 289. Quednau, F. W. Taxonomic notes on aphids from Nepal and India with descriptions of a new genus and two new species (Homoptera: Aphididae), 217.

Rabb, R. L. See McNeil, J. N., 1041.

Raine, J. See Forbes, A. R., 559.

Randolph, P. A. See Siddiqui, W. H., 145.

Raske, A. G. Tetropium parvulum elevated to species rank and contrasted to T. cinnamopterum in morphology and host preference (Coleoptera: Cerambycidae), 745.

Notes on the biology of Tetropium parvulum (Coleoptera: Cerambycidae) in Alberta, 757. Taxonomic relationship between Monochamus scutellatus and M. oregonensis (Coleoptera: Cerambycidae), 795.

Retnakaran, A. Hormonal induction of superpumerary instars in the spruce budworm, Choristoneura fumiferana (Lepidoptera: Tortricidae), 459.

Ovicidal effect in the white pine weevil, Pissodes strobi (Coleoptera: Curculionidae), of a synthetic analogue of juvenile hormone, 591.

Richards, W. R. Aulacorthum rhusifoliae (Homoptera: Aphididae), a new poison ivy inhabiting aphid from Ontario, 173.

A review of Phyllaphis, with a description of a new species from Ontario (Homoptera: Aphididae), 1573.

Richerson, J. V. See Borden, J. H., 1363.

Robinson, A. G. Two new Macrosiphini (Homoptera: Aphididae) from Manitoba, 813. Robinson, A. S. and Proverbs, M. D. Hybridization between geographical races of the codling moth (Lepidoptera: Olethreutidae), 289.

Roelofs, W. L. See Cardé, R. T., 1505.

Rolseth, B. M. See Gooding, R. H., 433.

Sæther, O. A. Four species of Bryophaenocladius Thien., with notes on other Orthocladiinae (Diptera: Chironomidae), 51.

Salkeld, E. H. The chorionic architecture and shell structure of Amathes c-nigrum (Lepidoptera: Noctuidae), 1.

Schmid, F. Sur quelques sous-espèces d'Ornithoptera victoriae (Lepidoptera, Papilionidae). II, 701.

Deux cas de gynandromorphisme chez les Ornithoptères (Lepidoptera, Papilicnidae), 1549. Scott, J. S. See Craig, D. A., 995.

Seudder, G. G. E. Recent advances in the higher systematics and phylogenetic concepts in entomology, 1251.

Sharma, M. L., Larrivée, J. M. et Thériault, L. M. Effets de la photopériode et des températures moyennes de 15°C sur la fécondité et la production des sexués chez le puceron du pois, Acyrthosiphon pisum (Aphididae: Homoptera), 947.

Shaw, G. G. Importance of starches to spruce budworm (Lepidoptera: Tortricidae), 129.

Shemanchuk, J. A. See Trpis, M., 43.

Shepard, M. Response of Melanotus communis (Coleoptera: Elateridae) larvae to soil temperature and moisture, 577.

Siddiqui, W. H., Barlow, C. A., and Randolph, P. A. Effects of some constant and alternating temperatures on population growth of the pea aphid, Acyrthosiphon pisum, 145.

Simmons, G. A. and Knight, F. B. Deformity of sugar maple caused by bud feeding insects, 1559.

Sluss, T. P. and Foote, B. A. Biology and immature stages of Leucopis pinicola and Chamaemyia polystigma (Diptera: Chamaemyiidae), 1443.

Smetana, A. A note on the genus Bohemiellina Mach. (Coleoptera: Staphylinidae), 351.
Revision of the tribe Quediini of America north of Mexico (Coleoptera: Staphylinidae).
Supplementum 2, 1421.

Smirnoff, W. A., Fettes, J. J., and Desaulniers, R. Aerial spraying of a Bacillus thuringiensis - chitinase formulation for control of the spruce budworm (Lepidoptera: Tortricidae), 1535.

Smirnoff, W. A. et Jobin, L. J. Etude de certains facteurs affectant les populations de Lambdina fiscellaria fiscellaria dans le bassin de la rivière Vauréal, Ile d'Anticosti, 1039.

Smirnoff, W. A. and MacLeod, D. M. Une épizootie d'Entomophitora sp. dans une population du puceron du sapin (Cinara curvipes) (Hemiptera: Aphídidae), 1369.

Smith, A. See Freitag, R., 299.

Smith, R. L. Aspects of the biology of three species of the genus *Rhantus* (Coleoptera: Dytiscidae) with special reference to the acoustical behavior of two, 909.

Smith, S. M. and Trimble, R. M. The biology of tree-holes of Point Pelee National Park, Ontario. I. New mosquito records for Canada (Diptera: Culicidae), 1585.

Stehr, F. W. See Casagrande, R. A., 1119.

Stephen, W. P. Biochemical sy rematics and the higher categories, 1223. See also Plowright, R. C., 733.

Still, G. N. and Wong, H. R. Life history and habits of a leaf miner, Cameraria macrocarpae, on bur oak in Manitoba (Lepidoptera: Gracillariidae), 239.

Swadener, S. O. and Yonke, T. R. Immature stages and biology of Zelus socius (Hemiptera: Reduviidae), 231.

**Tamaki, G.** Insect developmental inhibitors: Effect of reduction and delay caused by juvenile hormone mimics on the production of winged migrants of *Myzus persicae* (Hemiptera: Aphididae) on peach trees, 761.

Tauber, C. A. See Tauber, M. J., 79.

Tauber, C. A. and Tauber, M. J. Diversification and secondary intergradation of two Chrysopa carnea strains (Neuroptera: Chrysopidae), 1153.

Tauber, M. J. See Tauber, C. A., 1153.

Tauber, M. J. and Tauber, C. A. Dietary requirements for mating in *Chrysopa oculata* (Neuroptera: Chrysopidae), 79.

Taylor, J. W. and Franklin, R. T. Incidence of occurrence of Beauveria bassiana in forest collections of Hylobius pales and Pachylobius picivorus weevils (Coleoptera: Curculionidae), 123.

Thériault, L. M. See Sharma, M. L., 947.

Thiele, H. U. Remarks about Mansingh's and Müller's classifications of dormancies in insects, 925.

**Thomson, A. J.** and **Davies, D. M.** The biology of *Pollenia rudis*, the cluster fly (Diptera: Calliphoridae). I. Host location by first-instar larvae, 335. II. Larval feeding behaviour and host specificity, 985.

**Ticehurst, M.** and **Allen, D. C.** Notes on the biology of *Telenomus coelodasidis* (Hymenoptera: Scelionidae) and its relationship to the saddled prominent, *Heterocampa guttivitta* (Lepidoptera: Notodontidae), 1133.

Timmins, P. R. See Foott, W. H., 449.

Torchio, P. F. and Youssef, N. N. A method of feeding bees measured amounts of insecticides in solution, 1011.

Torgersen, T. R. New parasite-host records for North American Ichneumonidae (Hymenoptera) in Alaska, 997.

Trimble, R. M. See Smith, S. M., 1585.

Trottier, R. A controlled temperature and humidity cabinet for recording the emergence behaviour of aquatic insects, 971. Influence of temperature and humidity on the emergence behaviour of Anax junius

(Odonata: Aeshnidae), 975.

Trpis, M., Haufe, W. O., and Shemanchuk, J. A. Embryonic development of Aedes (O.) sticticus (Diptera: Culicidae) in relation to different constant temperatures, 43.

Turnock, W. J. Factors influencing the fall emergence of Bessa harveyi (Tachinidae: Diptera), 399.

Tyrrell, D. See Otvos, I. S., 1435. Ulbrich, R. See Peters, W., 277.

Vakenti, J. M. See Madsen, H. F., 921.

Vickery, V. R. Notes on Pteronemobius and a new genus of the tribe Pteronemobiini (Orthoptera: Gryllidae: Nemobiinae), 419.

Vickery, V. R. and Johnstone, D. E. The Nemobiinae (Orthoptera: Gryllidae) of Canada. 623.

Vockeroth, J. R. The identity of some genera of Syrphini (Diptera: Syrphidae) described by Matsumura, 1075.

Three additional synonyms of Allograpta (Diptera: Syrphidae), 1101.

Wallace, R. R., West, A. S., Downe, A. E. R., and Hynes, H. B. N. The effects of experimental blackfly (Diptera: Simuliidae) larviciding with Abate, Dursban, and Methoxychlor on stream invertebrates, 817.

Wallner, W. E. See Hain, F. P., 157.

Ward, P. S., Hebert, P. D. N., and Harmsen, R. A note on the distribution of Oeneis chryxus strigulosa (Lepidoptera: Satyridae), 1373.

Weatherston, J. and Gardiner, E. J. The defensive secretion of a polydesmoid millipede (Diplopoda), 1375.

Webster, J. M. See Hunter, D. M., 1301.

West, A. S. See Wallace, R. R., 817.

Westigard, P. H. The biology of and effect of pesticides on Deraeocoris brevis piceatus (Heteroptera: Miridae), 1105.

Wetzel, B. W., Kulman, H. M., and Witter, J. A. Effects of cold temperatures on hatching of the forest tent caterpillar, Malacosoma disstria (Lepidoptera: Lasiocampidae), 1145. Wheeler, A. G. Studies on the arthropod fauna of alfalfa. IV. Species associated with the

crown, 353. V. Spiders (Araneida), 425.

Whitten, M. J., Foster, G. G., and Kitching, R. L. The incorporation of laboratory-reared genetic material into a field population of the Australian sheep blowfly, Lucilia cuprina (Diptera: Calliphoridae), 893.

Wilde, W. H. A. See Kobylnyk, R. W., 323, 513.

Wilkinson, C. Computers in biology, 1193. Witter, J. A. See Wetzel, B. W., 1145.

Wong, H. R. See Still, G. N., 239.

Wressell, H. B. The role of parasites in the control of the European corn borer, Ostrinia nubilalis (Lepidoptera: Pyralidae), in southwestern Ontario, 553.

Wylie, H. G. Parasites of face fly, Musca autumnalis (Diptera: Muscidae), and associated Diptera near Belleville, Ontario, 257.

Control of egg fertilization by Nasonia vitripennis (Hymenoptera: Pteromalidae) when laying on parasitized house fly pupae, 709.

Yonke, T. R. See Swadener, S. O., 231.

Yoshimoto, C. M. A new nearctic Derostenus (Hymenoptera: Eulophidae) parasitic on Nepticula (Lepidoptera: Nepticulidae), 1053.

Review of North American Chrysocharis (Kratochviliana) (Eulophidae: Chalcidoidea) north of Mexico, especially species attacking birch casebearer (Lepidoptera: Coleophoridae) and birch leafminer (Hymenoptera: Tenthredinidae), 1309.

Revision of the genus Chrysocharis Förster (subgenus Chrysocharis s. str.) (Eulophidae: Chalcidoidea) of America north of Mexico, 1377.

Youssef, N. N. See Torchio, P. F., 1011.

## INDEX TO NEW TAXA

	PAGE		PAGE
New Genera and Subgenera		hirsutiventris Yoshimoto,	
	1567	Chrysocharis (Kratochviliana)	1321
Cretonomyia McAlpine (Diptera)	106	hispidus Allen & Brusca, Leptohyphes	88
Dianemobius Vickery (Orthoptera)	421	incerta Yoshimoto, Chrysocharis	
	1417	(Kratochviliana)	1320
Nearctostenus Yoshimoto		laticaudus Sæther, Bryophaenocladius	55
(Hymenoptera)	1055	lestes Allen & Brusca, Leptohyphes	89
Neocymbopteryx Munroe		levipectus Yoshimoto, Chrysocharis	
(Lepidoptera)	669		1403
Odontivalvia Munroe (Lepidoptera) .	1361	lumas Allen & Brusca, Leptohyphes	91
Scarabatermes Howden (Coleoptera)	29	melanobranchus Allen & Brusca,	
Taoia Quednau (Homoptera)	217	Leptohyphes	85
Tokunagaia Sæther (Diptera)	56	mexicanus Bottimer, Stator	549
Vicelva Moore & Legner (Coleoptera)	35	mexicanus Kelton, Lygus	1546
Xenephias Kevan (Orthoptera)	1169	milleri Yoshimoto, Chrysocharis	
		(Kratochviliana)	1327
New Species and Subspecies		monticola Hodkinson, Aphalara	1413
	202	nearctica Munroe, Nomophila	190
africana Munroe, Nomophila	202	nepalensis Quednau, Callaphis	221
albipes Yoshimoto, Derostenus	1066	notatus Allen & Brusca, Tricorythodes	94
(Nearctostenus)	1056	oberfoelli Hardwick, Euxoa (Euxoa) .	75
aluta Yoshimoto, Chrysocharis	1220	paradoxica Moore & Legner, Vicelva .	36
(Kratochviliana)	1328	pilosus Allen & Brusca, Leptohyphes.	91
amazonensis Howden, Scarabateimes	32	pinawae Robinson, Masonaphis	814
araguaensis Howden, Cyrtinus	595	potentillae Kelton, Lygus	1545
arizonensis Campbell,	1024	pristina McAlpine, Cretonomyia	106
Tachinomorphus	1024	protolithocolletidis Yoshimoto,	1224
assiniboinensis Robinson,	012	Chrysocharis (Kratochviliana)	1324
Acyrthosiphon	813	pusillus Smetana, Acylopho:us	1422
australica Munroe, Nomophila	181	(Acylophorus)	1433 596
beckeri Yoshimoto, Chrysocharis	1206	querci Howden, Cyrtinus	390
(Chrysocharis)	1386	reniculelloides Mutuura & Munroe,	651
bellincus Yoshimoto, Chrysocharis	1200	Dioryctria	654 1407
(Chrysocharis)	1390	reynoldsi Gordh & Coker, Telenomus	173
brevispinalis Munroe, Nomophila	201	rhusifoliae Richards, Aulacorthum	1/3
brunneus Allen & Brusca, Leptohyphes	85 343	robusta Yoshimoto, Chrysocharis (Kratochviliana)	1318
bundyi Lehmkuhl, Baetis		rockburnei Hardwick, Euxoa	497
californica Hardwick, Euxoa declarata	495	sharpi Campbell, Tachinomorphus	1025
clarkae Yoshimoto, Chrysocharis	1202	sleeperi Becker, Ctenicera	
(Chrysocharis)	1392	smetanai Campbell, Micropeplus	
colombiana Munroe, Nomophila	188	socotranus Kevan, Xenephias	1170
consortis Allen & Brusca, Leptohyphes	87	spiculatus Allen & Brusca,	
coptodiscae Yoshimoto, Chrysocharis	1220	Leptohyphes	92
(Kratochviliana)	1329	steensensis Hardwick, Schinia	1003
cuspidigaster Yoshimoto, Chrysocharis	1220	stipitis Yoshimoto, Chrysocharis	
(Kratochviliana)	1330	(Kratochviliana)	1320
dicinctus Allen & Brusca, Leptohyphes		subcircularis Yoshimoto, Chrysocharis	
digitatus Sæther, Bryophaenocladius	55	(Chrysocharis)	1387
distinctalis Munroe, Nomophila	196	syphax Smetana, Quedius	
equatorialis Munroe, Nomophila		(Megaquedius)	1422
heterospila	199	truncatipennis Yoshimoto,	
exotica Quednau, Taoia	218	Chrysocharis (Chrysocharis)	1402
ferruginus Allen & Brusca,		ulmeri Alen & Brusca, Tricorythodes	95
Leptohyphes	88	vachelliae Bottimer, Stator	546
freemani Lafontaine, Antispila	991	villosum Kelton, Semium	1583
freemani Yoshimoto, Derostenus		volcanus Campbell, Micropeplus	571
(Nearctostenus)	1055	walleyi Yoshimoto, Chrysocharis	
grandifoliae Richards, Phyllaphis	1579	(Kratochviliana)	
heitzmani Munroe, Neocymbopteryx .	670	vepezi Munroe, Trischistognatha	1081

